

Radiation Safety and Protection for I-125 Seeding localization: A Day in the Life of a Seed <u>ASSESSMENT</u>

Nam	: Date:			
1.	low much activity is one radioactive lodine-125 seed?			
	a. 100-300 microcuries			
	b. 50-75 microcuries			
	c. 100-300 nanocuries			
	d. 50-75 nanocuries			
2.	How big is a radioactive Iodine-125 seed?			
	a. 5 mm			
	b. 10 mm			
	c. 15 mm			
	d. 20 mm			
3.	What are the 3 cardinal principles of radiation protection?			
	a. Ventilation, rules and regulations, procedures			
	b. Time, Distance and Shielding			
	c. Containment, protective clothing, surveys			
4.	To prevent the termination of our radioactive seed localization program the I-125 seed must be tracked from location to location.			
	True False			
5.	What is the annual limit for occupational exposure for the extremities?			
	a. 5 rem/year or 5000 mrem/year			
	b. 15 rem/year or 15000 mrem/year			
	c. 50 rem/year or 50000 mrem/year			

			Maple Grove	
6.	You should ne	ever touch a rac	dioactive lodine-125 seed with your fingers.	
		True	False	
7.	You should always use long handled forceps to pick up a dropped seed.			
		True	False	
8.	Who do you c	all if a seed is r	nissing?	
	-	Pathology	0	
		Breast Center		
	c.	General Radio	ology	
	d.	Nuclear Medi	cine	
	e.	Surgery		
9. If at any point an I-125 seed is thought to be missing, Nuclear Med must survey all before they can leave the area.				
		True	False	
10. The patient cannot leave the surgical suite until radiology has verified that all seeds the were implanted are accounted for.				
		True	False	
11. If a seed is cut while still inside the patient, the site will be irrigated with saline or ste water and the excess irrigation will be suctioned.				
		True	False	
12.			t of a cut seed. Any clothing, supplies or materials that are in the Radiology "Hot Closet" for how long?	
	a.	150 days		
	b.	300 days		
	c.	450 days		
	d.	600 days		
13.	The I-125 Seesed.	d Localization F	Form requires a signature from each person transporting a	
		True	False	
14. A patient must get the seeds removed the same day they are implanted.				
		True	False	